

PERFORMANCE STUDY AND EVALUATION OF ELECTRIC VEHICLE SYSTEM

SAM MAHMODICHERATI

A project report submitted in partial fulfilment of the
requirements for the award of the degree of
Master of Engineering (Electrical - Power)

Faculty of Electrical Engineering
Universiti Teknologi Malaysia

MAY 2011

To my parent, wife, beloved
brothers, sister

ACKNOWLEDGEMENT

First of all, I am greatly indebted to ALLAH SWT on His blessing to make this project successful.

I would like to acknowledge my supervisor Associate Professor Dr. Nik Rumzi Nik Idris who has given me support and guidance throughout the period of this research. His patience and perseverance towards the outcome of this study is of the highest standard. Without him this project report will not become a reality.

My thanks are also extended to all my fellow postgraduate colleagues for sharing their ideas and discussions. Last but not least, I would like to thank other FKE staffs and my family for their motivation and moral supports.

ABSTRACT

Due to the limitation of fossil fuels and the high consumption rate of this energy for transportation, inclination of vehicle industry toward other sources of energy is inevitable. Electric vehicles and hybrid vehicles could be one of possible solution. Thanks to the state-of-art electric motors, power electronics, embedded power train controller, energy storage systems such as batteries and ultra capacitors, the performance of the vehicle could become more and more energy efficient. Since the integrating of all these components in a drive train configuration could be a challenge for the manufacturer, computer simulation and modeling before prototyping could be really beneficial in terms of cost, safety and design performance. In this thesis some of the principles of modeling and simulation are discussed. Some tests in order to find the internal parameters of the battery are explained and based on the data from the tests a Lithium-ion battery and electric vehicle performance is evaluated by using model which is which us dveloped using Simulink/Matlab. The dynamics of the vehicle in terms of longitudinal and lateral forces are discussed and a model representing the aerodynamic and rolling resistance are developed in Simulink. Given the data obtained from the test data from a Proton SAGA manufactured by the PROTON Company, the performance of the vehicle in terms of battery consumption, acceleration and maximum cruise speed is analyzed.

ABSTRAK

Disebabkan oleh sumber tenaga dari bahan bakar jenis *fossil* yang terhad dan kadar penggunaan tenaga yang tinggi bagi sistem pengangkutan, peralihan sumber tenaga bagi industri kenderaan tidak dapat dielakkan lagi. Antara jalan penyelesaian yang boleh diguna-pakai adalah dengan menggunakan kenderaan elektrik atau kenderaan *hybrid*. Dengan berkembangnya teknologi motor elektrik, elektronik kuasa, sistem kawalan keretapi kuasa, system penyimpanan tenaga seperti bateri dan ultra-kapasitor, prestasi kenderaan adalah menjadi lebih baik dan mempunyai kecekapan tenaga yang tinggi. Oleh kerana penggabungan secara terus kesemua komponen didalam sistem pemacuan keretapi adalah agak sukar bagi industri pembuatan, permodelan dan simulasi komputer bagi sesebuah sistem sebelum sistem sebenar dibina adalah kaedah yang amat efisien dari segi kewangan, keselamatan dan prestasi sistem yang direka. Dalam tesis ini, beberapa prinsip permodelan dan simulasi dibincangkan. Beberapa ujikaji yang dijalankan untuk mengenalpasti parameter dalaman bagi bateri berdasarkan *Lithium-ion* bateri ada diterangkan. Prestasi bagi model kenderaan elektrik juga dinilai dan dikaji dengan menggunakan perisian Simulink/MATLAB. Dinamik bagi sesebuah kenderaan seperti *Lateral Forces* dan *Longitudinal* turut dibincangkan dan model yang mewakili *aerodynamic* dan rintangan putaran telah dibina didalam Simulink. Data yang diperolehi adalah hasil daripada ujikaji yang menggunakan kenderaan Proton SAGA keluaran syarikat PROTON. Daripada data tersebut, prestasi kenderaan seperti penggunaan bateri, kadar pecutan dan maksimum jarak pada kelajuan sederhana turut dianalisis.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	
	TITLE PAGE	i
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	xi
	LIST OF FIGURES	xii
	LIST OF APPENDIX	xiii
1	INTRODUCTION	1
	1.1 Background of Study	1
	1.2 Significance of Study	2
	1.3 Objective of Study	2
	1.4 Scope of Study	3
	1.5 Organization of the Report	3

2	LITERATURE REVIEW	4
2.1	Introduction	4
2.2	History of Electric Vehicle	4
2.3	Electrification of Auxillary Systems	5
2.4	Electrification of Vehicle Propulsion Systems	6
2.5	Classification of EVs Based on Degree of Electrification	6
2.5.1	Micro Hybrid	6
2.5.2	Mild,Full and Muscle Hybrid	7
2.5.2.1	Series HEVs	7
2.5.2.2	Parallel HEVs	9
2.5.2.3	Series-Parallel HEVs	10
2.5.2.4	Plug-in Hybrid	11
2.5.3	Pure Electric Vehicle	11
2.6	Electric Power System of Vehicle with Electrified Powertrain	13
3	VEHICLE DYNAMICS MODELING	15
3.1	Law's of Motion	15
3.2	Vehicle Dynamic	17
3.2.1	Aerodynamic Resistance	18
3.2.2	Rolling Resistance	19
3.2.3	Climbing Resistance	20
3.3	Acceleration Force	20
3.4	Propulsion Power	20
3.5	Force-Velocity Characteristic	21
3.6	Maximum Gradability	23
3.7	Velocity and Acceleration	24
3.8	Velocity Profile	26

3.9 Tractive Power	26
3.10 Energy Required	27
3.11 Non-constant Ftr, General Acceleration	28
4 BATTERY AND ELECTRIC MOTOR	30
4.1 Introduction	30
4.2 Overview of Battery Chemistries	30
4.2.1 Lead Acid Batteries	31
4.2.2 Alkaline Batteries	32
4.2.3 Li-ion Batteries	33
4.3 Battery Management Systems	33
4.4 Battery Capacity	34
4.5 Discharge Rate	34
4.6 State of Charge	35
4.7 Electric Motor	35
5 RESEARCH METHODOLOGY	38
5.1 Introduction	38
5.2 Simulation of Vehicle Dynamic	39
5.3 Electric Motors	41
5.4 Battery	43
5.5 Driving Cycle	45
5.6 Driver Model	45
6 SIMULATION RESULT AND DESSCUSION	47
6.1 Introduction	47
6.2 Running Resistance	48
6.3 Force-speed profile Applied to Wheels	48

6.4 Acceleration Performance	49
6.5 NEDC Drive Cycle Test	50
6.6 Battery and Motor Performance	52
7 CONCLUSION	56
7.1 Summary	56
7.2 Suggestions for Future Works	57
REFERENCES	58

LIST OF TABLES

TABLE NO	TITLE	PAGE
5.1	Technical Specification	39
5.2	Induction Motor Specification	42
6.1	Simulation Data	57

LIST OF FIGURES

TABLE NO	TITLE	PAGE
2.1	Schematic views for Series HEVs	8
2.2	Schematic view for Parallel HEVs	10
2.3	Schematic view for Series-Parallel HEVs	11
2.4	Schematic views for Series EVs	13
2.5	Two-voltage-level Electric Power System for EVs	14
2.6	Three-voltage-level Electric Power System for EVs	14
3.1	Center of gravity (cg) of a vehicle	16
3.2	Forces on a Particle	16
3.3	Rigid body rotation	17
3.4	Vehicle longitudinal forces	18
3.5	Plot of velocity profile	22
3.6	Maximum Gradability	23
3.7	Forces acting on the vehicle on a level road	24
3.8	Velocity profile for a constant F_{TR} on a level road	26
3.9	Acceleration interval	27
3.10	Arbitrary velocity profile	28
4.1	Energy Density of Different Battery Chemistries	31
4.2	Ideal Torque-Speed profile	37
5.1	Electric Vehicle Configurations	38
5.2	Simulation Block of Road Resistance	40
5.3	Dynamic Model of EV	40
5.4	Simulink Block Diagram of EV	41
5.5	Torque/Power –speed profile	42
5.6	Torque-Speed Profile Applied on	43
5.7	Current Drawn From Battery	43
5.8	Simulation of Battery Configuration	44

5.9	European Driving Cycle	45
5.10	Drive Model Function in EV	46
5.11	The EV driver PI-controller model	46
6.1	Typical road resistance forces in terms of vehicle speed	48
6.2	Forces-speed profile that acts on wheels	49
6.3	Vehicle Speed	49
6.4	NEDC Driving Cycle and Vehicle Speed	50
6.5	Vehicle Speed per Battery Charging	51
6.6	Running Range	51
6.7	Percentage of SOC	52
6.8	Battery Current	53
6.9	Battery Voltage	53
6.10	Motor Torque for one Cycle	54
6.11	Motor Power for one Cycle	54
6.12	Motor Torque and Current for Typical Drive Cycle	55

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	Induction Motor and Gearbox DATASHEET	63

CHAPTER 1

INTRODUCTION

1.1 Background of Study

The increase of depletion of fossil fuels for multiple purposes like generation of other forms of energy (electricity, heating and transportation) is growing. Along with this increased global demand for power comes the increased pollution from consuming fuels. Both the decreasing supply of fossil fuels and the increasing level of pollutants in our environment are becoming very significant concerns. This growth is much faster than the time it takes to aggregate the energy stored in new oil and coal, so As a result, electric vehicles become a center of attraction for researchers and government to overcome this problem.

Modeling and simulation of various hybrid and electric vehicle plays major role before the design and manufacturing process, so simulation environment which includes different models for components used in drive train could be really helpful [1]. Many researchers have been used different simulation program for performance study and evaluation of electric vehicle [1],[2]. Different components in the drive train of electric vehicles are modeled with different methods [5], [1], [3], [4]. The importance and benefit of having a simulation environment is discussed in [5], [6]. Internal combustion engines model is explained in [14]. Batteries as a main part of EV, was simulated by different methods in [8], [9], [10], [11]. Reference [7] presented about energy management and control strategies used in hybrid drive trains. In [3], [12], [5], [13], [9] some methods for modeling of electric machines are

given. As the whole drive train of hybrid vehicles is a combination of electric and mechanical components, the dynamic modeling of the vehicle and mechanical parts is in the aspect of interest.

1.2 Significance of Study

Pure Electric vehicle has important role in green transportation in which the selection of appropriate propulsion system for better dynamic performance needs to be focused. The main efforts for manufacturer are simulation and modeling before prototyping, to make design of EV be more beneficial in terms of cost, safety and design performance. This paper proposes a simulation results on vehicle's dynamic performance, which predicts the energy consumption from lead-acid battery and range possibility of vehicle after every recharging battery. Perusahaan Otomobil Nasional (PROTON) is the first company in Malaysia that has decided to produce electric vehicle to reduce air pollution caused by internal combustion engine. The simulation result obtained from this study is used to predict the performance of an EV converted from ICE PROTON SAGA, which is part 7 the Proton-UTM research collaboration program.

1.3 Objective of Study

The purpose of this thesis is to provide some tools and methods for modeling and simulation of components used in drive trains of electric vehicles. A goal is to introduce the principles of simulation and methods used for simulating vehicular power systems. It is desired to create a simulation model for different components used in vehicle drive train. Different methods used to model vehicle dynamics, batteries and electric motors, engine is given. Altogether, making a simulation environment to show the importance of modeling and simulation of vehicular power systems is the main objectives of this thesis.

1.4 Scope of Study

The scope and limitation of the study are as follow:

- 1) Evaluating dynamic performance of electric vehicle that include of simulating all resistance forces applied on the vehicle.
- 2) Evaluating Running range of vehicle per battery full-charge.
- 3) Evaluating maximum gradability and acceleration time of vehicle is evaluated.

1.5 Organization of the Report

This report is divided into six chapters. Chapter 2 discusses on the literature review and classification of electric vehicle. Chapter 3 describes about dynamic of electric vehicle. The methodology and simulation process is explained in Chapter 4. The results and discussions will be presented in Chapter 5. The last chapter provides the conclusion of the study and future work.

REFERENCES

- [1] Gao, D.W.;Mi, C.;Emadi, A., “Modeling and Simulation of Electric Hybrid Vehicles”, Proceedings of the IEEE, Vol.95, issue 4, p.p. 729-745, April 2007.
- [2] Filizadeh S., Cheverfils A.R., Northcott D.R, “Analysis and Design of Vehicular Power Systems Using PSCAD/EMTDC”, IEEE Vehicle , Power and Propulsion Conference, 2007
- [3] Shuo Tian, Guijun Cao,Qiang Han, Jiangiu Li, Minggao Yang, “Modeling and Decoupling Control of ICE APU with Uncontrolled Rectifier in Series Hybrid Vehicle”, Vehicle and power propusion conference, p.p 1-6, Sept. 2006
- [4] Shangumunathan, U., Govarthan, R., Muthumailvaganan, Imayakumar A. “Modeling and Dynamic Simulation of IC engine Driven Permanent Magne Generator Using Matlab/Simulink for Hybrid Tracked Vehicle”, IEEE Conference on Electric and Hybrid Vehicles, p.p. 1-6, 2006
- [5] S.Williamson S., Emadi A., Rajashekara, “Comprehensive Efficiency Modeling of Electric Traction Motor Drives for Hybrid Electric Vehicle Propulsion Applications”, IEEE Transactions on Vehicular Technology, Vol.56, No.4, p.p. 1561-1572, July 2007
- [6] Bumby, J.R. ; P.H. Clarke; L. Forster,”Computer Modeling of Automotive Energy Requirements for Internal Combustion Engine and Battery Electric Powered Vehicle”, IEE Proceedings, Vol.132, No.5, p.p. 265-279, Sep. 1985
- [7] S.Williamson S., Emadi A., Rajashekara, “Comprehensive Efficiency Modeling of Electric Traction Motor Drives for Hybrid Electric Vehicle Propulsion Applications”, IEEE Transactions on Vehicular Technology, Vol.56, No.4, p.p. 1561-1572, July 2007

- [8] Dur Mathias; Cruden Andrew; Sinclair Gair; J.R. McDonald, "Dynamic Model of a Lead-acid Battery for Use in a Domestic Fuel Cell System", Journal of Power Sources, Vol.161, Issue 2, , p.p. 1400-1411, Oct. 2006
- [9] Salameh, Z.M.; Casacca, M.A.; Lynch, W.A, "A Mathematical Model for Leadacid Batteries", IEEE Transactions on Energy Conversion, Vol.7, Issue:1, p.p. 93- 98, March 1992
- [10] Moore s. ;Ehsani M., "An Empirically based Electrosorce Horizon Lead-acid Battery Model", SAE Transactions, Vol.105, no6, p.p. 421-424, 1996
- [11] S.A. Nasar and LE "Unnewehr, Electromechanics and Electric Machines", Second Ed., United States of America, John Wiley & Sons. Inc., 1993
- [12] Pugsley. G., Chillet, C., Fonseca, A., Bui-Van, A. L., " New Modeling Methodology for Induction Machine Efficiency mapping for Hybrid Vehicles", Electric Machines and Drives Conference, 2003. IEMDC03. IEEE International, vol.2, p.p. 776-781, Jun. 2003
- [13] Onoda, S.; Emadi, A., "PSIM-based Modeling of Automotive Power Systems: Conventional, Electric, and Hybrid Electric Vehicles", IEEE Transactions on Vehicular Technology, Vol.53, Issue 2, p.p. 390-400, March 2004.
- [14] Bumby, J.R. ; P.H. Clarke; L. Forster, "Computer Modeling of Automotive Energy Requirements for Internal Combustion Engine and Battery Electric Powered Vehicle", IEE Proceedings, Vol.132, No.5, p.p. 265-279, Sep. 1985
- [15] Braess, Hans-Hermann, and Ulrich Sieffert. Handbook of Automotive Engineering. Warrendale: SAE International, 2005. Print.

- [16] E. Ozen, "Design of Smart Controllers for Hybrid Electric Vehicles," MS Thesis, Dept. of Elect Eng., Middle East Tech. University, Ankara, Turkey, Aug 2005 78
- [17] A. Rajagopalan, G. Washington, G. Rizzoni, Y. Guezennec, "Development of Fuzzy Logic and Neural Network Control and Advanced Emissions Modeling for Parallel Hybrid Vehicles," The National Renewable Energy Laboratory (NREL) Report, Boulder, CO, 2003
- [18] K.T. Chau, Y.S. Wong, "Overview of HEV Power Management," *Energy Conversion and Management*, 43, pp. 1953-1968, 2002
- [19] *2000 Model Honda Insight Hybrid Electric Vehicle*, in Automotive News, July 12,1999
- [20] M.J. Bradley, and Associates; Report 59 Hybrid-Electric Transit Buses: Status, Issues, and Benefits. Washington, D.C.: National Academy Press, 2000.
- [21] Ming Qian, "Sliding Mode Controller Design for ABS System", Master Thesis, Poly Technic Institute and State University
- [22] Michael Short, Michael J. Pont, Qiang Huang, "Simulation of Vehicle Longitudinal Dynamics", ESL Technical Report ESL 04/01, University of Leicester, 2004
- [23] J.Y. Wong, "Theory of Ground Vehicles", Third edition, United States of America, John Wiley & Sons. Inc., 2001
- [24] Nelson, J., and W. Bolin. "Basics and advances in battery systems." *IEEE Transactions on Industry Applications*. 31.2 (Mar. 1995): 419-428.
- [25] Fetcenko, M., S. Ovshinsky, B. Reichman, K. Young, C. Fierro, J. Koch, A. Zallen, W. Mays, and T. Ouchi. "Recent advances in NiMH battery technology." *Journal of Power Sources*. 165.2 (Mar. 2007): 544-551.

- [26] Chalk, S., and J. Miller. "Key challenges and recent progress in batteries, fuel cells, and hydrogen storage for clean energy systems." *Journal of Power Sources*. 159.1 (Sept. 2006): 73-80.
- [27] Ehsani, M., Y. Gao, S. Gay, and A. Emadi. *Modern Electric, Hybrid Electric, and Fuel Cell Vehicles: Fundamentals*,
- [28] Z. Rahman *et al.*, "An investigation of electric motor drive characteristics for EV and HEV propulsion systems," presented at the SAE Technical Paper Series, Paper # 2000-01-3062.
- [29] C. C. Chan, "The state of the art of electric and hybrid vehicles," *Proc. IEEE*, vol. 90, no. 2, pp. 247–275, Feb. 2002.
- [30] D. Diallo *et al.*, "A fault-tolerant control architecture for induction motor drives in automotive applications," *IEEE Trans. Veh. Technol.*, vol. 53, no. 6, pp. 1847–1855, Nov. 2004.
- [31] A. G. Jack *et al.*, "A comparative study of permanent magnet and switched reluctance motors for high-performance fault tolerant applications," *IEEE Trans. Ind. Appl.*, vol. 32, no. 4, pp. 889–895, Jul./Aug. 1996.
- [32] T. M. Jahns *et al.*, "Recent advances in power electronics technology for industrial and traction machine drives," *Proc. IEEE*, vol. 89, no. 6, pp. 963–975, Jun. 2002.
- [33] Ehsani, M., Y. Gao, S. Gay, and A. Emadi. *Modern Electric, Hybrid Electric, and Fuel Cell Vehicles: Fundamentals, Theory, and Design*. 1st ed. Boca Raton: CRC Press, 2004. Print.

- [34] Liu, D., and H. Li. "A Three-Port Three-Phase DC-DC Converter for Hybrid Low Voltage Fuel Cell and Ultracapacitor." *Proceedings of IEEE 32nd Annual Conference on Industrial Electronics*. (Jun. 2003): 1369-1374.
- [35] Hodgkinson, R. and Fenton, J., *Lightweight Electric/Hybrid Vehicle Design*, Society of Automotive Engineers, Warrendale, PA, 2001.
- [36] Westbrook, M.H., *The Electric Car*, The Institute of Electrical Engineers, London, United Kingdom, and Society of Automotive Engineers, Warrendale, PA, 2001.
- [37] Rand, D.A.J., Woods, R., and Dell, R.M., *Batteries for Electric Vehicles*, John Wiley & Sons, New York, 1998.
- [38] Emadi, A., and M. Ehsani. *Vehicular Electric Power Systems: Land, Sea, Air, and Space Vehicles*. 1st ed. New York: Marcel Dekker, 2003. Print.

APPENDIX A: DATASHEET